



Anping Linkland Wire mesh Products Co., Ltd.



Wrought iron fence is very common and also widespread fence all around the world. As a widely product, it adapt to various kinds of architectures and surroundings, such as villa, housing estate, high-grade personal house, highway, school, hospital, administrative building and so on, apart from that, Linkland also provides wrought iron gate, wrought iron railing and window fence for the mentioned environments. Wrought iron fence provides, Linkland fence mainly classify into three types wrought iron fence with finial, wrought iron fence without finial (flat top), patterned wrought iron fence. Wrought iron fence is both modern and classic pleasing and tasteful, Linkland Fence forces on production with high-quality and improvement of customer's experience.

Product info

Specification of wrought iron fence

- Material: aluminum, mild steel, galvanized, carbon steel.
- **Surface treatment:**electric/hot-dip galvanized, powder coating, zinc phosphate coating, PVC, UV-proof powder, epoxy coated, polyester powder coated, etc.

• Anti-climb.

• Anti-rust.

Various color.

• Pleasing appearance.

- Color: black, white, chocolate, stain khaki, textured grey, silver, olive green, etc.
- Finial shape: arrow-shape, ball-shape, engraving pattern shape.

Feature of wrought iron fence

- Preventing from accessing.
- Anti-corrosion.
- Longevity.
- Various shape.
- Solid.
- Wrought iron fence application
- Residential area.
- Villa.
- Swimming pool.
- Administrative building.
- Roof.
- Window or balcony protected fence.

• Private house.


Stable.

- Resort.
- School.
- Highway.
- Gate.

- High-grade house.
- Vacation hotel.
- Hospital.
- Plaza.
- Railing.


I, Wrought iron fence with finial

Types as the picture below



Wrought t iron fence - spear top


Picture and dimension table



STOF-1 wrought iron fence – straight spear top

	τ	able 1:	STOF	-1 Straigl	ht Spear Top - J	Aluminum	Fence		
Length	Height	H1	H2	Vertical	Pickets	Post	Horizontal rails		
Length	neight	пт	ΠΖ	Spacing	FICKELS	FUSL	Top Rail	Rail size	
72-1/2"	3' or 4'	6-1/2"	7"	3-13/16"	5/8" square ×				
72-1/2"	5' or 6'	7-1/2"	7"	3-13/16"	0.05" thick × 15	2" square ×	1" square ×	1" square × 0.062" thick ×	
72-1/2"	3' or 4'	6-1/2"	7"	1-5/8"	5/8" square ×	0.06" thick	0.055" thick × 1	2 (3 Railsizes for 6')	
72-1/2"	5' or 6'	7-1/2"	7"	1-5/8"	0.05" thick × 31				
72"	3', 4', 5' or 6'	5"	7"	3-13/16"	5/8" square × 0.05" thick × 15	2" square× 0.062 thick		1" square × 0.072" thick × 2	
72-1/2"	3', 4', 5' or 6	8-3/4"	8"	4"	1" square ×				
72-1/2"	8'	8-3/4"	9"	4"	0.062" thick ×13	2-1/2" square	1-5/8" square ×	1-5/8" square × 0.1" thick ×	
72-1/2"	3', 4', 5' or 6	8-3/4"	8"	1-1/2"	1" square ×	× 0.075" thick	0.07" thick × 1	2 (3 Rail sizes for 8')	
72-1/2"	8'	8-3/4"	9"	1-1/2"	0.062" thick × 27			·	


	Table 2: STOF-1 Straight Spear Top - Steel / Wrought Iron Fence											
Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails					
96"	3', 3-1/2', 4', 5' or 6'	5-3/4"	5"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × 14 ga					
96"	3', 3-1/2', 4', 5' or 6'	6"	5-1/2"	3-15/16"	3/4" square × 18 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga					
96"	7' or 8'	6"	5-1/2"	3-15/16"	3/4" square × 18 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga					
96"	3', 3-1/2', 4', 5', 6', 7' or 8'	6"	9-3/4"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga					



STOF-2 wrought iron fence - straight spear top, flush bottom

	Table 3: STOF-2 Straight Spear Top, Flush bottom - Aluminum Fence											
Length	Height	H1	H2	Vertical	Pickets	Post	Horizontal rails					
Length	neigin	пт	п	Spacing	FICKELS	PUSI	Top Rail	Rail size				
72-1/2"	4', 5' or 6'	6-1/8"	5-3/8"	3-11/16"	3/4" square × 0.05" thick × 15	2" square × 0.06 thick	1" square × 0.055" thick × 1	1-1/2" square × 0.082" thick × 2 (3 Rail sizes for 6')				
72"	3', 4', 5' or 6'	5"	7"	3-13/16"	3/4" square × 0.05" thick × 15	2" square × 0.062 thick	1" square × 0.062" thick × 1	1" square × 0.072" thick × 2				

Та	Table 4: STOF-2 Straight Spear Top, Flush Bottom - Steel / Wrought Iron Fence											
Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails					
96"	3', 3-1/2', 4', 5' or 6	5-3/4"	5"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × 14 ga					
96"	7' or 8'	6"	5-1/2"	3-15/16"	3/4" square× 14 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga					
96"	3', 3-1/2', 4', 5', 6', 7' or 8'	8"	9-3/4"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga					




STOF-3 wrought iron fence - staggered spear top

	Table 5: STOF-3 Staggered Spear Top - Aluminum Fence										
Longth	Usiaht	114	H2	Vertical	cal Biskets	Dest	Horizontal rails				
Length	Height	H1	п2	Spacing	Pickets	Post	Top Rail	Rail size			
72-1/2"	3' or 4'	6-1/2"	7"	3-13/16"	5/8" square ×	2" square ×	1" square ×	1" square × 0.062" thick × 2 (3 Rail			
72-1/2"	5' or 6'	7-1/2"	7"	3-13/16"	0.05" thick × 15	0.06 thick	0.055" thick × 1	sizes for 6')			
71-1/2"	4' <i>,</i> 5' or 6' , 8'	8-3/4"	8"	4"	1" square ×	2-1/2"	1-5/8" square ×	1-5/8" square × 0.1" thick × 2			
71-1/2"	8'	8-3/4"	9"	4"	0.062" thick × 13	square × 0.075 thick	0.07" thick × 1	(3 Rail sizes for 8')			

Table 6: STOF-3 Staggered Spear Top - Stee	l / Wrought Iron Fence


Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails
96"	3', 3-1/2', 4', 5' or 6'	5-3/4"	5"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × 14 ga
96"	7' or 8'	6"	5-1/2"	3-15/16"	3/4" square × 18 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga
96"	7' or 8'	6"	5-1/2"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga
96"	3', 3-1/2', 4', 5', 6', 7' or 8'		9-3/4"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga




STOF-4 wrought iron fence - extra staggered spear top

	Table 7: STOF-4 Extra Staggered Spear Top - Aluminum Fence										
Longth	Usiaht	114	H2	Vertical	Pickets	Dect	Horiz	izontal rails			
Length	Height	H1	п2	Spacing	PICKELS	Post	Top Rail	Rail size			
72-1/2"	3' or 4'	6-1/2"	7"	3-13/16"	2" square ×	1" square ×	1" square ×	1" square × 0.062" thick × 2 (3 Rail			
72-1/2"	5' or 6'	7-1/2"	7"	3-13/16"	0.06 thick	0.055" thick × 1	0.055" thick	sizes for 6')			

	Table 8: STOF-4 Extra Staggered Spear Top - Steel / Wrought Iron Fence											
Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails					
96"	3', 3-1/2', 4', 5' or 6'	5-3/4"	5"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × 14 ga					
96"	7' or 8'	6"	5-1/2"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga					
96"	3', 3-1/2', 4', 5', 6', 7' or 8'	8"	9-3/4"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga					




STOF-5 wrought iron fence - narrow vertical space




STOF-6 wrought iron fence - narrow spacing, flush bottom

	Table 9: STOF-5 & 6 Narrow Spacing - Aluminum Fence										
Length Height H1 H2 Vertical Pickets Post								Horizontal rails			
Length	Height	пт	п∠	Spacing	FICKELS	Post	Top Rail	Rail size			
72-1/2"	3', 4', 5' or 6'	5"	7"	1-5/8"	5/8" square × 0.05" thick × 31	2" square × 0.062 thick	1" square × 0.062" thick × 1	1" square × 0.067" thick × 2			




STOF-7 wrought iron fence – adding dwarf pet bars


	Table 10: STOF-7 With Adding Pet Fence - Aluminum Fence											
Longth	Usiaht		Н2	H3	H24	Vertical	Dickota	Dest	Horizontal rails			
Length	Height	H1	п2	пэ	п24	Spacing	Pickets	Post	Top Rail	Rail size		
6'	3', 3-1/2', 4', 5' or 6'	4-1/2"	6"	5-1/2"	16"	3-13/16"	5/8" ×0.05" or 1" ×5/8" × 0.062"	2" square, 0.06" or 0.08" thick	1-1/8" × 1" × 0.062"	1-1/8" × 1" × 0.082"		
6'	3', 3-1/2', 4', 5' or 6'	4-1/2"	6"	5-1/2"	16"	3-13/16"	3/4" × 0.055"	2" square, 0.08" or 0.1" thick	1-3/8" × 1-1/4" × 0.065"	1-3/8" × 1-1/4" × 0.088"		
6'	3', 3-1/2', 4', 5' or 6'	4-1/2"	6"	5-1/2"	16"	3-13/16"	1" × 0.062"	2" square, 0.1" thick	1-5/8" × 1-15/8" × 0.07"	1-5/8" × 1-15/8" × 0.1"		




STOP-8 wrought iron fence – concave



STOF- 10 wrought iron fence – concave spear top, narrowspace




STOF-9 wrought iron fence – concave spear top



STOF-11 wrought iron fence – convex spear top


	Table 11: STOF-8, 9, 10 & 11 Concave Spear Top - Aluminum Fence											
Longth	Height	oiaht 111		Vertical	Diskata	Post	Horizontal rails					
Length	пеідпі	H1	H2	Spacing	Pickets	POST	Top Rail	Rail size				
6'	3', 3-1/2', 4', 5' or 6'	5-1/4"	6"	3-13/16"	5/8" × 0.05" or 1" × 5/8" × 0.062"	2" square, 0.06" or 0.08" thick	1-1/8" × 1" × 0.062"	1-1/8" × 1" × 0.082"				
6'	3', 3-1/2', 4', 5' or 6'	5-1/4"	6"	3-13/16"	3/4" × 0.055"	2" square, 0.08" or 0.1" thick	1-3/8" × 1-1/4" × 0.065"	1-3/8" × 1-1/4" × 0.088"				
6'	3', 3-1/2', 4', 5' or 6'	5-1/4"	6"	3-13/16"	1" × 0.062"	2" square, 0.1" thick	1-5/8" × 1-15/8" × 0.07"	1-5/8" × 1-15/8" × 0.1"				




DTOF wrought iron fence - defender top

	Table 12: DTOF Defender Top - Aluminum Fence											
Longth	Unight	Ш1	1 112	цэ	Vertical	Dickota	Dect	Horizon	ntal rails			
Length	neight	leight H1 H2 H3 Spacing Pickets Post	POSL	Top Rail	Rail size							
6'	7', 8', 9' or 10'	18-1/2"	10-5/8"	10-5/8"	3-5/8"	1" × 0.062"	2-1/2" square, 0.1" thick or 3" square, 0.125" thick	1-5/8" × 0.07"	1-5/8" × 0.1"			

	Table 13: DTOF Defender Top - Steel / Wrought Iron Fence											
Length	Height	H1	H2	Н3	Vertical spacing	Pickets	Post	Horizontal rails				
8'	7' <i>,</i> 8'	18-3/4"	5-1/2"	5-1/2"	3-15/16"	3/4" × 14 ga	2-1/2" × 14 ga	2-1/2" × 14 ga				
8'	7', 8'	20"	9-3/4"	9-3/4"	3-3/4"	1" × 14 ga	2-1/2" × 14 ga	1-3/4" × 14 ga				



CTOP-1 wrought iron fence - curved top with pressed spear




CTOP-2 wrought iron fence curved top with finials

	Table 14: CTOP-1 & 2 Curved Top with Finials - Aluminum Fence											
Longth	Usisht	114		112	Vertical	Dickota	Dest	Horizo	ontal rails			
Length	Height	H1	H2	Н3	Spacing	Pickets	Post	Top Rail	Rail size			
72-1/2"	3' or 4'	6-1/2"	7"	8-3/4"	3-13/16"							
72-1/2"	57"	7-1/2"	5-3/8"	8-3/4"	3-13/16"	5/8" square × 0.05"	2" square ×	1" square ×	1" square × 0.062" thick × 2 (3 sizes rails for 6')			
72-1/2"	5'	7-1/2"	6-7/8"	8-3/4"	3-13/16"	thick × 7						
72-1/2"	6'	7-1/2"	7"	8-3/4"	3-13/16"							


II, Wrought iron fence without finial

Types as the picture below



Wrought iron fence - flat top

Picture and dimension table




FTOF-1 wrought iron fence - finial and flat bar


Table 15: FTOF-1 With Pressed Spear - Aluminum Fence


Longth	Usisht	114	H2	Vertical	Pickets	Dest	Horizontal rails		
Length	Height	H1	п2	Spacing	PICKELS	Post	Top Rail	Rail size	
72-1/2"	3', 4', 54" or 5'	1-1/2"	7"	3-13/16"	5/8" square				
72-1/2"	6'	1-1/2"	8"	3-13/16"	0.05 thick × 15	2" square × 0.06" thick are	1" square × 0.055" thick	1" square × 0.082" thick × 2 (3 sizes rails for 6')	
72-1/2"	3' <i>,</i> 4' or 5'	1-1/2"	7"	1-5/8"	5/8" square				
72-1/2"	6'	1-1/2"	8"	1-5/8"	0.05 thick × 31				
72-1/2"	4', 5' or 6'	1-1/2"	8-1/4"	4"	1" square 0.062	2-1/2" square	1-5/8" square	1-5/8" square ×	
72-1/2"	8'	1-1/2"	9-1/4"	4"	thick × 13	× 0.075" thick	× 0.07" thick	6 0.1" thick × 2 (3 sizes rails for 8')	

Table 16: FTOF-1 With Pressed Spear - Steel / Wrought Iron Fence

Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails
96"	3', 3-1/2', 4', 5' or 6'	1-1/2"	7' or 8'	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × × 14 ga
96"	3', 3-1/2', 4', 5' or 6'	1-1/8"	7"	3-15/16"	5/8" square × 18 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga
96"	7' or 8'	1-1/8"	8"	3-15/16"	5/8" square × 18 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga
96"	3', 3-1/2', 4', 5', 6', 7' or 8'	1"	8-1/4" or 9-1/4"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga








FTOF-3 Wrought iron fence with beautiful finials - flat top


	Table 17: FTOF-2 & 3 With Finials - Aluminum Fence										
Longth	Hoight	Ш1	H2	Vertical	Pickets	Doct	Horizor	ntal rails			
Length	Height	H1	Spacing		PICKELS	Post	Top Rail	Rail size			
72-1/2"	4', 5' or 6'	2-1/8"	5-3/8"	3-11/16"	3/4" square × 0.05" thick × 15	2" square × 0.06 thick	1" square × 0.055" thick × 1	1-1/2" square × 0.082" thick × 2 (3 Rail sizes for 6')			

 Table 18: FTOF-2 & 3 With Pressed Spear, Flush Bottom - Steel / Wrought Iron Fence

Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails
96"	3', 3-1/2', 4', 5' or 6'	1-1/2"	5-3/8" to 8"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × × 14 ga
96"	3', 3-1/2', 4', 5' or 6'	1-1/8"	7"	3-15/16"	3/4" square × 18 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga
96"	7' or 8'	1-1/8"	8"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga
96"	3', 3-1/2', 4', 5', 6', 7' or 8'	1"	5-3/8" to 9-1/4"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga




FTOF-4 wrought iron fence without finials -flat top



FTOF-5 wrought iron without finial, bars flat top and flat bottom

	Table 19: FTOF-4 & 5 Standard Flat Top - Aluminum Fence											
Length	Height	H1	H2	Vertical	Pickets	Post	Horiz	ontal rails				
Length	пеідпі	пт	ΠĽ	Spacing	FICKELS	FUSL	Top Rail	Rail size				
72-1/2"	3', 4', 54" or 5'	1-1/2"	7"	3-13/16"	5/8" square							
72-1/2"	6'	1-1/2"	8"	3-13/16"	0.05 thick × 15	2" square × 0.06" thick	1" square ×	1" square × 0.082" thick × 2 (3 sizes				
72-1/2"	3', 4' or 5'	1-1/2"	7"	1-5/8"	5/8" square		0.055" thick	rails for 6')				
72-1/2"	6'	1-1/2"	8"	1-5/8"	0.05 thick × 31							
72-1/2"	4', 5' or 6'	2-1/2"	8-1/4"	4"	1" square 0.062	2-1/2" square ×	1-5/8" square	1-5/8" square × 0.1" thick × 2 (3				
72-1/2"	8'	2-1/2"	9-1/4"	4"	thick × 13	0.075" thick	× 0.07" thick	sizes rails for 8')				
72-1/2"	4', 5' or 6'	2-1/2"	8-1/4"	1-1/2"	1" square 0.062	2-1/2" square ×	1-5/8" square	1-5/8" square ×				
72-1/2"	8'	2-1/2"	9-1/4"	1-1/2"	thick × 27	0.075" thick	× 0.07" thick					


	Table 20: FTOF-4 & 5 Standard Flat Top - Steel / Wrought Iron Fence											
Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails					
96"	3', 3-1/2', 4', 5' or 6'	1-1/2"	5"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × × 14 ga					
96"	3', 3-1/2', 4', 5' or 6'	1-1/8"	5-1/2"	3-15/16"	3/4" square × 18 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga					
96"	7' or 8'	1-1/8"	5-1/2"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga					
96"	3', 3-1/2', 4', 5', 6', 7' or 8'	1"	9-3/4"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga					




FTOF-6 wrought iron fence with finial - two crossing bars

	Table 21: FTOF-6 Two Rails, Flush Bottom - Aluminum Fence										
Longth		114	Vertical	Diskota	Dect	Horizoi	ntal rails				
Length	Height	H1	Spacing	Pickets Post		Top Rail	Rail size				
72-1/2"	4'	1-1/2"	3-13/16"	5/8" square 0.05 thick × 15		1" square ×	1" square ×				
72-1/2"	6'	1-1/2"	3-13/16"	-	2" square× 0.062" thick	0.055" thick	0.082" thick				
71-1/8"	4'	1-1/2"	3-13/16"	5/8" square 0.05 thick × 31		1" square × 0.072" thick	1-1/2" square × 0.080" thick				


	Table 22:	FTOF-6 T	wo Rails,	Flush Bottom	- Steel / Wrought Ir	on Fence
Length	Height	H1	Vertical Spacing	Pickets	Post	Horizontal rails
96"	3', 3-1/2', 4', 5' or 6'	1-1/2"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/ 16" × 14 ga
96"	3', 3-1/2', 4', 5' or 6'	1-1/8"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 16 ga	1-1/2" × 14 ga
96"	7' or 8'	1-1/8"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga
96"	1"	1"	3-3/4"	1" square × 14 ga × 21	-	1-3/4" × 14 ga




FTOF-7 flat top, flat bottom



FTOF-9 narrow vertical space, vertical bar crossing the horizontal bar at the bottom



FTOF-8 flat top, vertical bar crossing the horizontal bar at the bottom



FTOF-10 narrow vertical space, flat bottom


	Table 23: FTOF-7, 8, 9 & 10 Ornamental Top - Aluminum Fence										
Length	Unight	H1	Н2	Vertical	Pickets	Deel	Horizontal rails				
Length	Height			Spacing		Post	Top Rail	Rail size			
72-1/2"	3', 4', 4-1/2', 5' or 6'	1-1/2"	7"	3-13/16"	5/8" square × 0.05" thick × 15	2" square × 0.062 thick	1" square × 0.062" thick × 1	1-1/2" square × 0.072" thick × 2 (3 Rail sizes for 6')			

Table 24: FTOF-7 & 3	8 Ornamental top - Stee	el / Wrought Iron Fence
		· · · · · · · · · · · · · · · · · · ·

Length	Height	H1	H2	Vertical Spacing	Pickets	Post	Horizontal rails
96"	3', 3-1/2', 4', 5' or 6'	1-1/2"	5"	3-3/4"	5/8" square × 18 ga × 21	2" square × 16 ga	1-1/4" × 15/16" × 14 ga
96"	3', 3-1/2', 4', 5' or 6'	1-1/8"	5-1/2"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga
96"	7' or 8'	1-1/8"	5-1/2"	3-15/16"	3/4" square × 14 ga × 21	2-1/2" square × 14 ga	1-1/2" × 14 ga
96"	3', 3-1/2', 4', 5', 6', 7' or 8'	1"	9-3/4"	3-3/4"	1" square × 14 ga × 21		1-3/4" × 14 ga

III, Wrought iron fence accessories

Types as the picture below



- Material: aluminum, mild steel, wrought iron.
- Surface treatment: electric/hot-dip galvanized coating, spray paint, sandblasting, anti-rust oil PVC powder coating or UV-proof powder.
- Color: any color is available.
- Feature: easy to install, excellent anti-rust surface, durable and strong structure, elegant appearance.
- Sizes: suitable for 5/8", 3/4" or 1" pickets.

- Material: aluminum or quality steel.
- Surface treatment: chrome plated, brass plated, powder coating or others as your requirements.
- Color: any color is available.
- Feature: easy to install, a various kinds of color, ballshape or square, excellent anti-rust, elegant appearance.



Square or round wrought iron fence cap



Steel fence bracket SFB-1

Versatile for fasten to line, corner and end post.

- Self- drilling screw: #10 × 3/4".
- Carriage bolt: 1/4" × 1-1/2".
- Flange nut: 1/4".
- For line or corner: 2 brackets, 2 or 4 screws, 2 bolts and 2 nuts.
- For end: 1 bracket, 1 or 2 screws, 1 bolt and 1 nut.



Steel fence bracket SFB-2

Two-piece bracket Suitable for line posts.

- Self-drilling screw: #14 × 3/4".
- Carriage bolt: 1/4" × 1-1/2".
- Flange nut: 1/4".
- For line: 1 bracket, 2 screws, 2 bolts and 2 nuts.

Versatile for fasten to line, corner and end post.

- Self- drilling screw: #14 × 3/4".
- Carriage bolt: 1/4" × 1-1/2".
- Flange nut: 1/4".
- For line or corner: 2 brackets, 2 screws, 2 bolts and 2 nuts.
- For end: 1 bracket, 1 screw, 1 bolt and 1 nut.



Steel fence bracket SFB-3



- **Application:** swivel bracket for horizontal angles other than 90°.
- Function: suitable for being fixed to wall, timber post, steel posts and columns.
- Self-drilling screw: #10 × 3/4".
- Requirement: 2 screws are needed to fasten a bracket.



Steel fence bracket SFB-5

- Application: suitable for line, corner or end posts.
- Function: suitable for fixing to wall, timber or steel posts and columns.
- Self-drilling screw: #10 × 3/4".
- Requirement: 2 screws are needed to fasten a bracket.

Self-closing Ideal for working with self-latching latch.

- Material: high quality reinforced polymer.
- **Application:** suitable for mid-duty or heavyduty steel fence gate.
- **Feature:** with internal stainless spring for self-closing, tensile-adjustable, rust-free through whole life and no-ragging.




Steel fence hinge SFH-1



Steel fence hinge SFH-2

- Material: high quality stainless steel.
- Surface treatment: polyester powder coating.
- **Application:** suitable for mid-duty or heavy-duty steel fence gate.
- **Feature:** not capable to self-closing yet with strongest structure, high rust resistance as well anti-weather.

Anping Linkland Wire mesh Products Co., Ltd.



Add: No.69-70 The Filter Industrial Part of Anping ,Hebei, China P.O 053600 Call Us :+ 86 180 3388 9188 E-Mail : Sales@linklandfence.com www.linklandfence.com

